




Arsenal 5528 Topped Parts Pouch - Canvas

FEATURES	
<ul style="list-style-type: none">• Meets the ANSI/ISEA 121-2018 standard• 20oz water resistant canvas• Trap door closure for safety and security• Patented nickel-plated storm drain	
SPECIFICATIONS	
ATTACHMENT TYPE	THREADED BELT LOOP
CLOSURE	FABRIC
CONSTRUCTION	LANYARD ATTACHMENT POINTS
MATERIALS	CANVAS
MAX WEIGHT RATING	20 LBS / 9.1 KG, 5 LBS / 2.3 KG
POCKETS/HOLDERS	3 POCKETS, EXTERIOR POCKETS
PRODUCT FEATURES	STORM DRAIN
PRODUCT TYPE	POUCH
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121-2018
TOOL OR EQUIPMENT TYPE	HARDWARE, WRENCHES
ORDER MULTIPLES	
ORDER IN MULTIPLES OF:	1
ITEMS	
ITEM #	COLOR
13628	BLACK



Arsenal 5538 Topped Parts Pouch - Tarpaulin

FEATURES	
<ul style="list-style-type: none"> Meets the ANSI/ISEA 121-2018 standard Waterproof tarpaulin material Trap door closure for safety and security Storm Drains 	
SPECIFICATIONS	
ATTACHMENT TYPE	THREADED BELT LOOP
CLOSURE	FABRIC
CONSTRUCTION	LANYARD ATTACHMENT POINTS
MATERIALS	TARPAULIN
MAX WEIGHT RATING	20 LBS / 9.1 KG, 5 LBS / 2.3 KG
POCKETS/HOLDERS	3 POCKETS, EXTERIOR POCKETS
PRODUCT FEATURES	STORM DRAIN
PRODUCT TYPE	POUCH
PROTECTION	WATER RESISTANT
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121-2018
TOOL OR EQUIPMENT TYPE	HARDWARE, WRENCHES
ORDER MULTIPLES	
ORDER IN MULTIPLES OF:	1
ITEMS	
ITEM #	COLOR
13638	ORANGE



Arsenal 5568 Tool Pouch with Device Holster - Belt Loop

FEATURES

- **QUICK, SECURE ACCESS** - Prevents costly drops, keeps barcode scanners and/or tools close and ready
- **SAFELY SECURES UTILITY KNIVES** - Clips to belt for safe storage and convenient access to sharp tools
- **INDUSTRIAL GRADE** - Abrasion-resistant ripstop polyester for long lasting use in harsh environments
- **CONVENIENT ACCESS** - 2 pockets for small hand tools, pens, pencils, markers and zip ties and front webbed loop for securing tape measurers and hammers

SPECIFICATIONS

ATTACHMENT TYPE	THREADED BELT LOOP
CONSTRUCTION	LANYARD ATTACHMENT POINTS
MATERIALS	POLYESTER
POCKETS/HOLDERS	EXTERIOR POCKETS, PEN POCKET, CELL PHONE POCKET, 4 POCKETS
PRODUCT TYPE	HOLSTER/HOLDER
PROTECTION	ABRASION RESISTANT
STYLE	BELT ATTACHMENT, EQUIPMENT MOUNT
TOOL OR EQUIPMENT TYPE	MOBILE COMPUTER, CELLPHONE

ORDER MULTIPLES

ORDER IN MULTIPLES OF: 1

ITEMS

ITEM #	COLOR
13668	GRAY



For more information and full size images, visit <https://www.ergodyne.com/squids-3109fx-double-locking-single-carabiner-tool-lanyard-with-swivel-25lbs.html>

Squids 3109F(x) Tool Lanyard - Double-Locking Swivel Carabiner and Loop - 25lbs

FEATURES

- Meets the ANSI/ISEA 121-2018 standard
- Shock absorbing properties reduce the dynamic force on the body or other anchor point if drop occurs
- Durable 1680 denier polyester elastic blended webbing extends from 38-48in (96-122cm)
- Low profile lightweight design reduces snag hazards and added weight

SPECIFICATIONS

CARABINERS	AUTO-LOCKING, SINGLE CARABINER, SWIVELING
CONSTRUCTION	SWIVELING DESIGN
LANYARD TYPE	LOOP END, SHOCK ABSORBING, CARABINER MOUNT, PERSONAL - ATTACHES TO PERSON
MATERIALS	ALUMINUM, ELASTIC, POLYESTER
MAX WEIGHT RATING	25 LBS / 11.3 KG
PRODUCT TYPE	LANYARD
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121-2018

ORDER MULTIPLES

ORDER IN MULTIPLES OF:	6
------------------------	---

ITEMS

ITEM #	COLOR	SIZE
19809	ORANGE AND GRAY	STANDARD

Squids 3119F(x) Tool Lanyard - Dual Double-Locking Swivel Carabiners - 25lbs

FEATURES

- Meets the ANSI/ISEA 121-2018 standard
- Shock absorbing properties reduce the dynamic force on the body or other anchor point if drop occurs
- Durable 1680 denier polyester elastic blended webbing extends from 38-48in (96-122cm)
- Low profile lightweight design reduces snag hazards and added weight

SPECIFICATIONS

CARABINERS	AUTO-LOCKING, MULTIPLE CARABINERS, SWIVELING
CONSTRUCTION	SWIVELING DESIGN
LANYARD TYPE	SHOCK ABSORBING, CARABINER MOUNT, PERSONAL - ATTACHES TO PERSON
MATERIALS	ALUMINUM, ELASTIC, POLYESTER
MAX WEIGHT RATING	25 LBS / 11.3 KG
PRODUCT TYPE	LANYARD
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121-2018

ORDER MULTIPLES

ORDER IN MULTIPLES OF:	6
------------------------	---

ITEMS

ITEM #	COLOR	SIZE
19829	ORANGE AND GRAY	STANDARD



For more information and full size images, visit <https://www.ergodyne.com/squids-3119fx-triple-locking-dual-carabiner-tool-lanyard-with-swivel-25lbs.html>



Squids 3123 Tool Wristband with D-Ring Anchor - 5lbs / 2.3kg

FEATURES

- MEETS ANSI/ISEA 121-2023 - Third party certified to a 5lb // 2.3kg maximum working capacity
- CONVENIENT TETHERING - Keeps hand tools close by, eliminates snag hazards and limits drop distance
- D-RING ANCHOR POINT - For easy, secure attachment to tools
- ADJUSTABLE - Durable hook + loop straps wrap around wrist for a customized fit

SPECIFICATIONS

CLOSURE	HOOK AND LOOP
CONSTRUCTION	SWIVELING DESIGN, ADJUSTABLE, LANYARD ATTACHMENT POINTS
LANYARD TYPE	WRIST, PERSONAL - ATTACHES TO PERSON, CARABINER MOUNT
MATERIALS	ELASTIC
MAX WEIGHT RATING	5 LBS / 2.3 KG
PRODUCT TYPE	LANYARD
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121-2023

ORDER MULTIPLES

ORDER IN MULTIPLES OF:	1
------------------------	---

ITEMS

ITEM #	COLOR
19085	BLACK



DESIGNED FOR PREVENTING DROPPED TOOLS

CREATES RETROFIT ATTACHMENT POINT ON WORKER FOR TETHERING HAND TOOLS



TETHERING SYSTEM

- ANCHOR ATTACHMENT
- TOOL ATTACHMENT
- TOOL TETHER

CONVENIENT TETHERING

KEEPS HAND TOOLS CLOSE WITH D-RING ANCHOR POINT



COMPATIBLE WITH ERGODYNE SQUIDS® LANYARDS

ADJUSTABLE

DURABLE HOOK + LOOP STRAP WRAPS AROUND WRIST FOR A CUSTOMIZED FIT



SOFT ELASTIC CUFF FOR ALL-DAY WEAR





VERSATILE ACCESSORY LANYARD + MOUNTS

KEEP PHONES, SMALL TOOLS AND ACCESSORIES SECURE AND ACCESSIBLE



LOW-PROFILE COIL LANYARD

REDUCES SNAG OR TANGLE HAZARDS



QUICKLY ATTACH & EXCHANGE



INCLUDES THREE MINI ADHESIVE MOUNTS WITH STRONG 3M™ VHB™ TAPE



STEP 1
REMOVE ADHESIVE BACK AND PLACE ON CLEAN, DRY SURFACE



STEP 2
HOLD IN PLACE UNTIL FIRMLY ATTACHED TO SURFACE (*FOR BEST RESULTS, WAIT 2 HOURS)

STEP 3
THREAD MICRO-LOOP END OF LANYARD THROUGH ADHESIVE MOUNT AND PULL TIGHT



PRODUCT	LENGTH (in)	WIDTH (in)
SMALL LANYARD	12-24IN (30-60CM)	—
MEDIUM LANYARD	12-48IN (30-120CM)	—
SELF-ADHESIVE MOUNT	0.9IN (2.3CM)	0.9IN (2.3CM)

Squids 3151 Coil Lanyard Swivel Hook & Detachable Loop plus Mini Adhesive Mount - 2lb / 0.9kg

FEATURES

- **SAFELY TETHER DEVICES & ACCESSORIES** - Keep phones, small tools and accessories close by and ready while also preventing costly drops
- **REDUCED SNAGS + TANGLES** - Sleek design and 360° rotation of the low-profile lanyard help prevent it from getting caught or tangled on objects
- **QUICK ATTACHMENT** - Micro-loop end threads through small captive holes of mini adhesive mounts
- **QUICK EXCHANGE** - Micro-loop end with modular buckle easily detaches

SPECIFICATIONS

CONSTRUCTION	MODULAR, DETACHABLE, SWIVELING DESIGN
KIT TYPE	CELLPHONE TETHERING, HAND TOOL TETHERING
LANYARD TYPE	COIL, PERSONAL - ATTACHES TO PERSON, MODULAR
MAX WEIGHT RATING	2 LBS / 0.9 KG
PRODUCT FEATURES	NON-MARRING
PRODUCT TYPE	LANYARD
PROTECTION	NON-CONDUCTIVE
RISK/INJURY	FALLING OBJECTS
TOOL GEOMETRY	NON-CAPTIVE
TOOL OR EQUIPMENT TYPE	CAMERA, CELLPHONE

ORDER MULTIPLES

ORDER IN MULTIPLES OF:	1
-------------------------------	---

ITEMS

ITEM #	SIZE
19160	M
19260	S

Squids 3172 Anchor Strap Hook & Loop Closure for Tool Tethering (2-pack) - 5lbs / 2.3kg

FEATURES

- MEETS ANSI/ISEA 121-2018 - Third party certified to an 5lbs // 2.3kg maximum working capacity with a 1:1 safety factor
- ANCHORING STRAP FOR TOOL TETHERING - Affix to tool belts, fall protection harnesses, railings or other structures (up to 3in // 7.6cm wide) to create a closed-ended attachment point for tethering tool lanyards
- VERSATILE ATTACHMENT - Hook & loop easily and securely straps around a variety of anchor points
- BUILT TO LAST - Heavy-duty abrasion-resistant polyester webbing

SPECIFICATIONS

CLOSURE	HOOK AND LOOP
MATERIALS	POLYESTER
MAX WEIGHT RATING	5 LBS / 2.3 KG
PRODUCT TYPE	ANCHOR ATTACHMENT
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121-2018
TOOL GEOMETRY	NON-CAPTIVE
TOOL OR EQUIPMENT TYPE	DRIVERS / HEX KEYS, HAMMERS / STRIKING, PLIERS / CUTTING, POWER TOOLS, CONNECTING BARS, WRENCHES

ORDER MULTIPLES

ORDER IN MULTIPLES OF: 1

ITEMS

ITEM #	COLOR	TYPE
19172	ORANGE	2-PACK

DESIGNED FOR PREVENTING DROPPED TOOLS

CREATES RETROFIT ATTACHMENT POINT ON STRUCTURE OR WORKER FOR TETHERING HAND TOOLS



EASY ATTACHMENT

HOOK & LOOP CLOSURE STRAPS AROUND BELTS, HARNESSES, RAILINGS AND EQUIPMENT



DURABLE

HEAVY-DUTY ABRASION-RESISTANT POLYESTER WITH STRONG CAPTIVE D-RING



COMPATIBLE WITH SQUIDS TOOL LANYARDS

CAPTIVE D-RING FITS A VARIETY OF LANYARD STYLES



SIZE	LENGTH (in)	WIDTH (in)	LOOP LENGTH (in)
STANDARD	59 (1500mm)	1 1/2 (38mm)	59 (1500mm)



DESIGNED FOR PREVENTING DROPPED TOOLS

CREATES RETROFIT ATTACHMENT POINT ON STRUCTURE OR WORKER FOR TETHERING HAND TOOLS



DURABLE

HEAVY-DUTY ABRASION-RESISTANT POLYESTER WEBBING WITH STEEL D-RING



EASY INSTALLATION

WRAP D-RING END AROUND ANCHOR POINT AND THREAD THROUGH CHOKE LOOP



COMPATIBLE WITH SQUIDS TOOL LANYARDS

CAPTIVE D-RING FITS A VARIETY OF LANYARD STYLES



SIZE	LENGTH (in)	WIDTH (in)	LOOP LENGTH (in)
STANDARD	24 ft (6.09 m)	1.25 in (3.18 cm)	5 in (12.7 cm)

Squids 3176 Anchor Choke Strap for Tool Tethering - 40lbs / 18kg

FEATURES

- MEETS ANSI/ISEA 121-2018 - Third party certified to an 40lbs // 18kg maximum working capacity with a multi-drop safety factor
- ANCHORING STRAP FOR TOOL TETHERING - Affix to railing, scaffolding or other structures to create a closed-ended attachment point for tethering tool lanyards
- EASY INSTALLATION - Wrap D-ring end around the primary anchor and thread through choke loop
- COMPATIBLE WITH SQUIDS TOOL LANYARDS - Captive D-ring fits a variety of lanyard styles

SPECIFICATIONS

MATERIALS	POLYESTER
MAX WEIGHT RATING	40 LBS / 18 KG
PRODUCT TYPE	ANCHOR ATTACHMENT
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121-2018
TOOL GEOMETRY	NON-CAPTIVE
TOOL OR EQUIPMENT TYPE	DRIVERS / HEX KEYS, HAMMERS / STRIKING, PLIERS / CUTTING, POWER TOOLS, CONNECTING BARS, WRENCHES

ORDER MULTIPLES

ORDER IN MULTIPLES OF: 1

ITEMS

ITEM #	COLOR
19176	BLACK



TETHER TOOLS AT HEIGHTS

TESTED & APPROVED TO ANSI/ISEA 121 FOR DROPPED OBJECT PREVENTION



RETROFIT ATTACHMENT POINT FOR TETHERING

AFFIX TO HAND TOOLS



EASY INSTALLATION

SECURE WITH SQUIDS' 3775 SELF-ADHERING TAPE (SOLD SEPARATELY)



DURABLE SECURITY

HEAVY-DUTY NYLON WEBBING, HIGH TENSILE STRENGTH NYLON THREAD AND DOUBLE STITCHED WEB CATCH



MULTI-PACK

INCLUDES 5 TOOL TETHERS



SIZE	LENGTH (in)	25000 LBS (113400 N)
SHORT	3.5 IN (9.1 CM)	0.55 IN (1.4 CM)
MEDIUM	4.5 IN (11.4 CM)	0.55 IN (1.4 CM)
LONG	5.5 IN (14.0 CM)	0.55 IN (1.4 CM)
X-LONG*	6.5 IN (16.5 CM)	0.55 IN (1.4 CM)
2XL-LONG*	8.5 IN (21.6 CM)	0.55 IN (1.4 CM)

*ONLY AVAILABLE IN VARIETY PACK

Squids 3700 Web Tool Tether Attachment - D-Ring Tool Tails - 2lbs

FEATURES

- MEETS ANSI/ISEA 121-2018 - Third party certified to an 2lbs // 0.9kg maximum working capacity with a 2:1 safety factor
- RETROFIT ATTACHMENT POINT FOR TOOL TETHERING - Affix to small hand tools or anchor points to create an attachment point for tethering tool lanyards
- BUILT TO LAST - Heavy-duty nylon webbing, high tensile strength nylon thread and double stitched web catch for durability in harsh conditions
- DURABLE D-RING - Captive hole for attaching tool lanyards

SPECIFICATIONS


CONSTRUCTION	LANYARD ATTACHMENT POINTS
MATERIALS	NYLON
MAX WEIGHT RATING	2 LBS / 0.9 KG
PRODUCT TYPE	TOOL ATTACHMENT
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121-2018
TOOL GEOMETRY	CAPTIVE HANDLE, CAPTIVE WAIST, NON-CAPTIVE
TOOL OR EQUIPMENT TYPE	DRIVERS / HEX KEYS, HAMMERS / STRIKING, PLIERS / CUTTING, POWER TOOLS, CONNECTING BARS, WRENCHES

ORDER MULTIPLES

ORDER IN MULTIPLES OF: 1

ITEMS

ITEM #	COLOR	SIZE	TYPE
19701	BLACK AND ORANGE	VARIETY	5-PACK
19703	BLACK	SHORT	6-PACK
19703-BULK	BLACK	SHORT	60-PACK
19704	ORANGE	MEDIUM	6-PACK
19704-BULK	ORANGE	MEDIUM	60-PACK
19705	BLACK	LONG	6-PACK
19705-BULK	BLACK	LONG	60-PACK



LOW-PROFILE ACCESSORY MOUNTS

ATTACH TO PHONES, SMALL TOOLS AND ACCESSORIES FOR LANYARD TETHERING
*LANYARD SOLD SEPARATELY



COMPATIBLE WITH SQUIDS 3151 COIL LANYARD

EASILY THREAD LANYARD MICRO-LOOP THROUGH MOUNT TO KEEP ACCESSORIES SECURE AND ACCESSIBLE
*LANYARD SOLD SEPARATELY



STRONG 3M™ VHB™ TAPE FOR SECURE ATTACHMENT



STEP 1

REMOVE ADHESIVE BACK AND PLACE ON CLEAN, DRY SURFACE




STEP 2

HOLD IN PLACE UNTIL FIRMLY ATTACHED TO SURFACE (*FOR BEST RESULTS, WAIT 2 HOURS)



STEP 3

THREAD MICRO-LOOP END OF LANYARD THROUGH ADHESIVE MOUNT AND PULL TIGHT



SIZE	LENGTH (A)	WIDTH (B)
STANDARD	0.59in (1.50cm)	0.59in (1.50cm)

Squids 3701 Mini Adhesive Mount Replacements (10-pack) - 2lbs / 0.9kg

FEATURES

- DURABLE TAPE - Utilize double-sided and high-strength 3M™ VHB™ pads to securely attach to items
- MULTIPLE CONNECTION POINTS - A 4-way anchor point option allows for easy tethering from any angle
- WEATHER RESISTANT - Adhesive pads are high/low temperature resistant and waterproof to stand up against elements
- VERSATILE ATTACHMENT - Adheres to a variety of materials including metal, silicone, glass and plastics

SPECIFICATIONS

MAX WEIGHT RATING	2 LBS / 0.9 KG
PRODUCT FEATURES	NON-MARRING
PRODUCT TYPE	REPLACEMENT PART
PROTECTION	NON-CONDUCTIVE
RISK/INJURY	FALLING OBJECTS
TOOL GEOMETRY	NON-CAPTIVE
TOOL OR EQUIPMENT TYPE	CELLPHONE, MOBILE COMPUTER, PLIERS / CUTTING, WRENCHES, RADIO / WALKIE TALKIE, DRIVERS / HEX KEYS, CAMERA

ORDER MULTIPLES

ORDER IN MULTIPLES OF: 1

ITEMS

ITEM #	COLOR	TYPE
19702	BLACK	10-PACK



DESIGNED FOR PREVENTING DROPPED TOOLS

CREATES RETROFIT ATTACHMENT POINT FOR TETHERING HAND TOOLS



EASY INSTALLATION

SECURE WITH ERGODYNE SQUIDS® 3755 SELF-ADHERING TAPE (SOLD SEPARATELY)



RETROFIT ATTACHMENT POINT FOR TETHERING

AFFIX TO HAND TOOLS



DURABLE SECURITY

HEAVY-DUTY NYLON WEBBING, HIGH TENSILE STRENGTH NYLON THREAD AND DOUBLE STITCHED WEB CATCH



SIZE	LENGTH	D-RING	D-RING
STANDARD	5.5M (18'0")	1.4IN X 1.2IN (3.5CM X 3.0CM)	0.6IN (1.5CM)



Squids 3706 Web Tool Tether Attachment - D-Ring Tool Tails - 5lbs // 2.3kg (3-Pack)

FEATURES

- MEETS ANSI/ISEA 121-2023 - Third party certified to an 5lbs // 2.3kg maximum working capacity
- RETROFIT ATTACHMENT POINT FOR TOOL TETHERING - Affix to hand tools with Squids 3755 Tape Trap to create an attachment point for tethering tool lanyards
- BUILT TO LAST - 1in//2.5cm heavy-duty nylon webbing, high tensile strength nylon thread and double stitched web catch for durability in harsh conditions
- DURABLE D-RING - Galvanized steel for captive connection to attach tool lanyards

SPECIFICATIONS

CONSTRUCTION	LANYARD ATTACHMENT POINTS
MATERIALS	NYLON, STEEL
MAX WEIGHT RATING	5 LBS / 2.3 KG
PRODUCT TYPE	TOOL ATTACHMENT
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121-2023
TOOL GEOMETRY	CAPTIVE HANDLE, CAPTIVE WAIST, NON-CAPTIVE
TOOL OR EQUIPMENT TYPE	DRIVERS / HEX KEYS, HAMMERS / STRIKING, PLIERS / CUTTING, POWER TOOLS, CONNECTING BARS, WRENCHES

ORDER MULTIPLES

ORDER IN MULTIPLES OF:	1
------------------------	---

ITEMS

ITEM #	COLOR	TYPE
19710	BLACK	3-PACK



DESIGNED FOR PREVENTING DROPPED TOOLS

CREATE RETROFIT ATTACHMENT POINT FOR TETHERING HAND TOOLS



TOOL COMPATABILITY

HAND TOOLS WITH SMALL CAPTIVE HOLES



EASY INSTALLATION

UNSCREW, THREAD THROUGH CAPTIVE EYE AND SCREW TOGETHER TO CLOSE




RETROFIT ATTACHMENT POINT FOR TETHERING

AFFIX TO HAND TOOLS



COMPLETE YOUR TETHERING SYSTEM

WITH ERGODYNE SQUIDS® LANYARD COMPATIBILITY OPTIONS



Squids 3708 Wire Tool Attachment - Screw Gate Tool Tail - 3lbs / 1.4kg (6-Pack)

FEATURES

- MEETS THE ANSI/SEA 121-2023 STANDARD - Third party certified to an 3lbs // 1.4kg maximum working capacity
- RETROFIT TOOL ATTACHMENT POINT - Designed to create larger attachment points on tools with small captive holes for tool tethering
- EASY INSTALLATION - Unscrew the wire screw gate tool tail, stick one end through a captive hole on the tool, bring the other end around and screw it closed to complete the loop
- DURABLE & CORROSION-RESISTANT - Steel cable wire with PU coating will hold up in extreme environments and will not damage the tool

SPECIFICATIONS

CONSTRUCTION	LANYARD ATTACHMENT POINTS
MATERIALS	STEEL
MAX WEIGHT RATING	3 LBS / 1.4 KG
PRODUCT TYPE	TOOL ATTACHMENT
PROTECTION	CORROSION RESISTANT, CUT RESISTANT
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/SEA 121-2023
TOOL GEOMETRY	CAPTIVE HANDLE
TOOL OR EQUIPMENT TYPE	MOBILE COMPUTER, PLIERS / CUTTING, RADIO / WALKIE TALKIE, SCANNER GUN, WRENCHES

ORDER MULTIPLES

ORDER IN MULTIPLES OF: 1

ITEMS

ITEM #	COLOR	TYPE
19713	BLACK	6-PACK



DESIGNED FOR PREVENTING DROPPED TOOLS

CREATES RETROFIT ATTACHMENT POINT FOR TETHERING HAND TOOLS



RETROFIT ATTACHMENT POINT FOR TETHERING

AFFIX TO HAND TOOLS, TOOL BELTS, HARNESSES OR STRUCTURES



STRETCHABLE LOOP END + ADJUSTABLE BARREL LOCK

NYLON STRETCH CORD CINCHES AROUND TOOLS OR STRUCTURES



EASY INSTALLATION

SECURE WITH SQUIDS' 3775 SELF-ADHERING TAPE OR COLD SHRINK TOOL TRAPS (SOLD SEPARATELY)



MULTI-PACK

INCLUDES 3 TOOL TETHERS



SIZE	WITH WRENCHES (IN)	W/ BOLT (IN)
STANDARD	12 IN (30 CM)	14 IN (35 CM)

Squids 3713 Elastic Tool Tether Attachment - Loop Tool Tails Swivel - 10lbs

FEATURES

- MEETS ANSI/ISEA 121-2018 – Third party certified to an 10lbs // 4.6kg maximum working capacity with a 2:1 safety factor
- RETROFIT ATTACHMENT POINT FOR TOOL TETHERING – Affix to hand tools, tool belts, harnesses or structures to create an attachment point for tethering tool lanyards
- STRETCHABLE LOOP END + ADJUSTABLE BARREL LOCK – Nylon stretch cord threads and cinches around tools or structures
- DURABLE SWIVELING D-RING – Captive hole for attaching tool lanyards

SPECIFICATIONS

CONSTRUCTION	SWIVELING DESIGN, LANYARD ATTACHMENT POINTS
MATERIALS	ELASTIC, NYLON
MAX WEIGHT RATING	10 LBS / 4.5 KG
PRODUCT TYPE	TOOL ATTACHMENT
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121-2018
TOOL GEOMETRY	CAPTIVE HANDLE, CAPTIVE WAIST, NON-CAPTIVE
TOOL OR EQUIPMENT TYPE	DRIVERS / HEX KEYS, HAMMERS / STRIKING, PLIERS / CUTTING, POWER TOOLS, CONNECTING BARS, WRENCHES

ORDER MULTIPLES

ORDER IN MULTIPLES OF: 1

ITEMS

ITEM #	COLOR	SIZE	TYPE
19765	LIME	STANDARD	3-PACK
19765-BULK	LIME	STANDARD	60-PACK



DESIGNED FOR PREVENTING DROPPED TOOLS

CREATE RETROFIT ATTACHMENT POINT FOR TETHERING HAND TOOLS



RETROFIT ATTACHMENT POINT FOR TETHERING

AFFIX TO HAND TOOLS



EASY INSTALLATION

SLIDE ONTO SMALL HAND TOOLS



TOOL COMPATIBILITY



SWIVELING ATTACHMENT POINT

PREVENTS TANGLES & BINDS WHEN USED WITH A TOOL LANYARD



COMPLETE YOUR TETHERING SYSTEM

WITH ERGODYNE SQUIDS® LANYARD COMPATIBILITY OPTIONS



Squids 3740 Hand Tool Attachment Trap - Slips

FEATURES

- MEETS THE ANSI/SEA 121-2018 STANDARD - Third party certified to an 1lb // 0.45kg maximum working capacity
- RETROFIT TOOL ATTACHMENT POINT - Designed to install onto small hand tools to create a tool attachment point for tethering
- ONE-PIECE DESIGN - Easily slides onto small hand tools without requiring additional tools to install or complicated wrapping or shrinking to apply
- NON-CONDUCTIVE - For safety when working around electrical environments

SPECIFICATIONS

CONSTRUCTION	SWIVELING DESIGN, LANYARD ATTACHMENT POINTS
MATERIALS	PLASTIC
MAX WEIGHT RATING	UP TO 1 LB / 0.5 KG
PRODUCT FEATURES	NON-MARRING
PRODUCT TYPE	TOOL ATTACHMENT
PROTECTION	NON-CONDUCTIVE
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/SEA 121-2018
TOOL GEOMETRY	NON-CAPTIVE
TOOL OR EQUIPMENT TYPE	DRIVERS / HEX KEYS

ORDER MULTIPLES

ORDER IN MULTIPLES OF: 1

ITEMS

ITEM #	COLOR	SIZE	TYPE
19740	BLACK AND ORANGE	S	4-PACK
19741	BLACK AND ORANGE	M	4-PACK
19742	BLACK AND ORANGE	L	4-PACK
19743	BLACK AND ORANGE	XL	4-PACK
19744	BLACK AND ORANGE	VARIETY	4-PACK

Squids 3755 Self-Adhering Tool Tethering Tape

FEATURES

- MEETS THE ANSI/ISEA 121-2018 STANDARD - Third party certified to a 15lbs // 6.8kg maximum working capacity (depending on length, tool, tail and lanyard used)
- TOOL TETHER ATTACHMENT - Designed for use with Squids Tool Tails™ for safe tool tethering
- SELF-ADHERING - Requires no additional adhesives, tools or heat source for application
- DURABLE & HIGH STRENGTH - Fiberglass reinforced construction

SPECIFICATIONS

MATERIALS	SILICONE
MAX WEIGHT RATING	15 LBS / 6.8 KG
PRODUCT FEATURES	NON-MARRING
PRODUCT TYPE	TOOL ATTACHMENT
PROTECTION	NON-CONDUCTIVE
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121-2018
TOOL GEOMETRY	CAPTIVE HANDLE, CAPTIVE WAIST, NON-CAPTIVE
TOOL OR EQUIPMENT TYPE	DRIVERS / HEX KEYS, HAMMERS / STRIKING, PLIERS / CUTTING, POWER TOOLS, CONNECTING BARS, WRENCHES

ORDER MULTIPLES

ORDER IN MULTIPLES OF: 1

ITEMS

ITEM #	COLOR	SIZE	TYPE
19755	GRAY	12FT (3.7M)	SINGLE
19756	ORANGE	12FT (3.7M)	SINGLE
19757	GRAY	12FT (3.7M)	10-PACK
19758	ORANGE	12FT (3.7M)	10-PACK





Squids 3760 Water Resistant Phone Pouch + Trap

FEATURES

- Meets the ANSI/ISEA 121-2018 standard
- Water resistant main material protects cell phone from rain, snow, dirt, dust and sand
- Clear touchscreen material allows for full screen and camera functions
- Heavy-duty zipper securely holds cell phones inside the pouch

SPECIFICATIONS

CLOSURE	ZIPPER
CONSTRUCTION	LANYARD ATTACHMENT POINTS, LANYARD GROMMET HOLES
MATERIALS	TARPAULIN, VINYL
MAX WEIGHT RATING	UP TO 1 LB / 0.5 KG
PRODUCT FEATURES	NON-MARRING, TOUCH SCREEN CAPABLE
PRODUCT TYPE	TOOL ATTACHMENT
PROTECTION	NON-CONDUCTIVE
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121-2018
TOOL GEOMETRY	NON-CAPTIVE
TOOL OR EQUIPMENT TYPE	CELLPHONE

ORDER MULTIPLES

ORDER IN MULTIPLES OF:	1
-------------------------------	---

ITEMS

ITEM #	COLOR	SIZE
19763	CLEAR	PLUS



DESIGNED FOR PREVENTING DROPPED TOOLS

CREATE RETROFIT ATTACHMENT POINT FOR TETHERING HAND TOOLS



RETROFIT ATTACHMENT POINT FOR TETHERING

AFFIX TO HAND TOOLS



SECURE INSTALLATION




TOOL COMPATIBILITY

HAND TOOLS WITH SMALL CAPTIVE HOLES



COMPLETE YOUR TETHERING SYSTEM

WITH ERGODYNE SQUIDS® LANYARD COMPATIBILITY OPTIONS



Squids 3785 Split Ring Tool Attachment (10-pack)

FEATURES

- MEETS THE ANSI/ISEA 121-2018 STANDARD - Third party certified to an 2lbs // 0.9kg maximum working capacity
- RETROFIT TOOL ATTACHMENT POINT - Designed to create larger attachment points on tools with small captive holes for tool tethering
- DURABLE - Plated steel construction
- SECURE INSTALLATION - Use ring pliers to open and thread wire through a small hole until the ring is fully connected

SPECIFICATIONS

MATERIALS	STEEL
MAX WEIGHT RATING	2 LBS / 0.9 KG
PRODUCT TYPE	TOOL ATTACHMENT
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121-2018
TOOL GEOMETRY	CAPTIVE HANDLE
TOOL OR EQUIPMENT TYPE	WRENCHES

ORDER MULTIPLES

ORDER IN MULTIPLES OF:	1
-------------------------------	---

ITEMS

ITEM #	SIZE
19785	1 IN (2.5 CM)
19786	1.5 IN (3.8 CM)