

SHOWA 376R

These liquid-resistant gloves protect from liquid penetration with a double nitrile outer layer. The foam coating over nitrile ensures safety with an absorbent grip, even when working with oily components. The extra-long elasticated wrist cuff prevents debris and dirt from entering the glove, and its seamless liner reduces skin-irritation and discomfort.



BENEFITS

- Water-resistant
- Seamless knit
- Flexible
- Extra Grip
- Breathable

FEATURES

- 3/4 nitrile dipped with extra foam nitrile on palm
- Elasticated wrist cuff
- Foam grip
- Scalloped edge

NORMS & CERTIFICATES

Cat II



EN
388:2016+A1:2018



4121X

EN ISO
21420:2020



INDUSTRIES



Airports & Ports



Automotive



Mechanical



Railways

HAZARDS



General Purpose

TRADES & APPLICATIONS

- Mechanical and engineering
- Automotive repairs and maintenance
- Light assembly of oil-coated pieces

GET IN TOUCH

SHOWA International | WTC - Tower 2 - Strawinskylaan 1077 XX Amsterdam - The Netherlands
showagroup.com | info@showagroup.eu
© SHOWA GROUP 2025 | All rights reserved

PACKAGING

- Pair per polybag: 10
- Polybags per case: 12
- Pair per case: 120

LENGTH

220 - 270mm

COATING

- Foam nitrile
- Nitrile

SIZES

6/S | 7/M | 8/L | 9/XL | 10/XXL

COLOUR

- Grey
- Blue
- Black

MATERIAL

- Nylon
- Polyester
- Seamless knit

USER INSTRUCTIONS

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.

GET IN TOUCH

SHOWA International | WTC - Tower 2 - Strawinskylaan 1077 XX Amsterdam - The Netherlands
showagroup.com | info@showagroup.eu
© SHOWA GROUP 2025 | All rights reserved