



A KLEIN TOOLS COMPANY
WWW.ERGODYNE.COM



Arsenal 5538 Topped Parts Storage Pouch - Water-Resistant Tarpaulin

FEATURES

- MEETS ANSI 121-2023 - Third-party certified to 20lbs // 9.1kg
- SECURE TOOL STORAGE AT HEIGHTS - Keep tools, parts and hardware secure and within easy reach during elevated tasks
- FITS MOST HARNESSES OR TOOLBELTS - Universal modular buckle system adds secure, accessible storage in seconds
- SECURE TOOL CONTAINMENT - Trap-door style closure provides reliable safety and security for tools while working at heights

SPECIFICATIONS

ATTACHMENT TYPE	THREADED BELT LOOP
CLOSURE	FABRIC
CONSTRUCTION	LANYARD ATTACHMENT POINTS
MATERIALS	TARPAULIN
MAX WEIGHT RATING	20 LBS / 9.1 KG, 5 LBS / 2.3 KG
POCKETS/HOLDERS	3 POCKETS, EXTERIOR POCKETS
PRODUCT FEATURES	STORM DRAIN
PRODUCT TYPE	POUCH
PROTECTION	WATER RESISTANT
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121-2018
TOOL OR EQUIPMENT TYPE	HARDWARE, WRENCHES

ORDER MULTIPLES

ORDER IN MULTIPLES OF:

1

ITEMS

**ITEM #**

13638

COLOR

ORANGE

For more information and full size images, visit <https://www.ergodyne.com/arsenal-5538-topped-parts-storage-pouch-tarpaulin>



A KLEIN TOOLS COMPANY
WWW.ERGODYNE.COM



Arsenal 5550 3-Inch Padded Tool Belt

FEATURES

- DURABLE - Nickel-plated clips and heavy-duty, puncture-resistant 1680D polyester for long-lasting wear
- ALL-DAY COMFORT - Thick foam padding with breathable mesh venting for all-day comfort
- ACCESSIBLE - Outer webbing belt accepts pouches, holsters and clips to keep tools close by
- METAL ROLLER BUCKLE - 2-inch double tongue metal roller buckle

SPECIFICATIONS

ATTACHMENT TYPE	WAIST STRAP
CLOSURE	BUCKLE
CONSTRUCTION	ADJUSTABLE, PADDED
MATERIALS	POLYESTER
PRODUCT TYPE	BELT

ORDER MULTIPLES

ORDER IN MULTIPLES OF: 1

ITEMS

ITEM #	COLOR	SIZE
13653	BLACK	L
13654	BLACK	XL
13655	BLACK	2XL

PADDED TOOL BELT

DESIGNED FOR ORGANIZATION,
PORTABILITY + ACCESSIBILITY OF TOOLS



EASILY ATTACH POUCHES, HOLSTERS + TOOLS



CLIP TO BELT

LOOP AROUND
BELT

THREAD
THROUGH BELT

ALL-DAY COMFORT

THICK FOAM PADDING + BREATHABLE MESH



EASY ADJUSTMENT

HOOK & LOOP CLOSURE FOR CUSTOM,
COMFORTABLE FIT




DURABLE

NICKEL-PLATED CLIPS + HEAVY-DUTY,
PUNCTURE-RESISTANT 1680D POLYESTER



COMPATIBLE WITH ERGODYNE 5560 SUSPENDERS FOR ADDITIONAL SUPPORT



SUSPENDERS EASILY
CLIP INTO TOOL BELT

For more information and full size images, visit <https://www.ergodyne.com/arsenal-5550-3-inch-padded-base-layer-tool-belt.html>



A KLEIN TOOLS COMPANY
WWW.ERGODYNE.COM



Squids 3002 Retractable Tool Lanyard - Locking Carabiner and Belt Loop - 2lbs

FEATURES

- MEETS ANSI/ISEA 121-2018 – Third-party certified to a 2lb // 0.9kg maximum working capacity with a 2:1 safety factor
- MINIMIZED WORK IMPACT – Retractable design limits snag hazards and keeps a low profile when anchored
- EASY TO USE – Workers can easily pull the cord out of the housing and let it retract back in
- CUT-RESISTANT CORD – Lightweight and high-strength Dyneema cord to withstand the harshest conditions

SPECIFICATIONS

ATTACHMENT TYPE	DETACHABLE BELT LOOP
CARABINERS	AUTO-LOCKING, SINGLE CARABINER
LANYARD TYPE	RETRACTABLE, PERSONAL - ATTACHES TO PERSON, CARABINER MOUNT, BELT LOOP
MATERIALS	PLASTIC
MAX WEIGHT RATING	2 LBS / 0.9 KG
PRODUCT TYPE	RETRACTABLE LANYARD
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121-2018

ORDER MULTIPLES

ORDER IN MULTIPLES OF:

1

ITEMS

ITEM #	COLOR	SIZE
19302	GRAY	STANDARD

TETHER TOOLS AT HEIGHTS

PREVENT DROPPED OBJECTS



DESIGNED FOR PREVENTING DROPPED TOOLS

LANYARDS SAFELY CONNECT TO TOOLS' CONNECTION POINTS



RETRACTABLE

LIMITS SNAGS, KEEPS LOW PROFILE WHEN ANCHORED



EASY TO USE

SIMPLE PULL AND RETRACTION



CUT-RESISTANT CORD

LIGHTWEIGHT & HIGH-STRENGTH TO WITHSTAND HARSH CONDITIONS



BELT ATTACHMENT

HOOK & LOOP ATTACHES TO BELTS AND HARNESSES WITHOUT REMOVAL



For more information and full size images, visit <https://www.ergodyne.com/squids-3002-retractable-tool-lanyard-belt-clip-locking-carabiner-2lbs.html>



A KLEIN TOOLS COMPANY
WWW.ERGODYNE.COM



Squids 3151 Coil Lanyard Swivel Hook & Detachable Loop plus Mini Adhesive Mount - 2lb / 0.9kg

FEATURES

- SAFELY TETHER DEVICES & ACCESSORIES - Keep phones, small tools and accessories close by and ready while also preventing costly drops
- REDUCED SNAGS + TANGLES - Sleek design and 360° rotation of the low-profile lanyard help prevent it from getting caught or tangled on objects
- QUICK ATTACHMENT - Micro-loop end threads through small captive holes of mini adhesive mounts
- QUICK EXCHANGE - Micro-loop end with modular buckle easily detaches

SPECIFICATIONS


CONSTRUCTION	MODULAR, DETACHABLE, SWIVELING DESIGN
KIT TYPE	CELLPHONE TETHERING, HAND TOOL TETHERING
LANYARD TYPE	COIL, PERSONAL - ATTACHES TO PERSON, MODULAR
MAX WEIGHT RATING	2 LBS / 0.9 KG
PRODUCT FEATURES	NON-MARRING
PRODUCT TYPE	LANYARD
PROTECTION	NON-CONDUCTIVE
RISK/INJURY	FALLING OBJECTS
TOOL GEOMETRY	NON-CAPTIVE
TOOL OR EQUIPMENT TYPE	CAMERA

ORDER MULTIPLES

ORDER IN MULTIPLES OF:

1

ITEMS



PRODUCT	LENGTH IN	WIDTH IN
SMALL LANYARD	12-24IN (30-60CM)	—
MEDIUM LANYARD	12-48IN (30-120CM)	—
SELF-ADHESIVE MOUNT	0.9IN (2.3CM)	0.9IN (2.3CM)



ITEM #	SIZE
19160	M
19260	S

For more information and full size images, visit <https://www.ergodyne.com/squids-3151coil-lanyard-swivel-hook-detachable-loop-mini-adhesive-mount-2-lb-0.9-kg>



A KLEIN TOOLS COMPANY
WWW.ERGODYNE.COM



Squids 3707 Web Tool Tether Attachment - Non-Conductive D-Ring Tool Tails - 2lbs / 0.9kg (6-Pack)

FEATURES

- MEETS ANSI/ISEA 121-2023 - Third party certified to an 2lbs // 0.9kg maximum working capacity
- RETROFIT ATTACHMENT POINT FOR TOOL TETHERING - Affix to hand tools with Squids 3755 Tape Trap to create an attachment point for tethering tool lanyards
- BUILT TO LAST - 0.5in//1.3cm heavy-duty nylon webbing, high tensile strength nylon thread and double stitched web catch for durability in harsh conditions
- NON-CONDUCTIVE D-RING - Molded high-strength nylon plastic eliminates metal in sensitive areas

SPECIFICATIONS

CONSTRUCTION	LANYARD ATTACHMENT POINTS
MATERIALS	PLASTIC, NYLON
MAX WEIGHT RATING	2 LBS / 0.9 KG
PRODUCT TYPE	TOOL ATTACHMENT
PROTECTION	NON-CONDUCTIVE
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121-2023
TOOL GEOMETRY	CAPTIVE HANDLE, CAPTIVE WAIST, NON-CAPTIVE
TOOL OR EQUIPMENT TYPE	DRIVERS / HEX KEYS, HAMMERS / STRIKING, PLIERS / CUTTING, POWER TOOLS, CONNECTING BARS, WRENCHES

ORDER MULTIPLES

ORDER IN MULTIPLES OF:

1

ITEMS



SIZE	LENGTH	D-RING	D-RING
STANDARD	3.5 IN (9CM)	1.2 IN X 0.8 IN (3CM X 2CM)	0.39 IN (1CM)



ITEM #	COLOR	TYPE
19711	ORANGE	6-PACK

For more information and full size images, visit <https://www.ergodyne.com/squids-3707-web-tool-tether-attachment-non-conductive-d-ring-tool-tails>



A KLEIN TOOLS COMPANY
WWW.ERGODYNE.COM



Squids 3708 Wire Tool Attachment - Screw Gate Tool Tail - 3lbs / 1.4kg (6-Pack)

FEATURES

- MEETS THE ANSI/ISEA 121-2023 STANDARD - Third party certified to an 3lbs // 1.4kg maximum working capacity
- RETROFIT TOOL ATTACHMENT POINT - Designed to create larger attachment points on tools with small captive holes for tool tethering
- EASY INSTALLATION - Unscrew the wire screw gate tool tail, stick one end through a captive hole on the tool, bring the other end around and screw it closed to complete the loop
- DURABLE & CORROSION-RESISTANT - Steel cable wire with PU coating will hold up in extreme environments and will not damage the tool

SPECIFICATIONS

CONSTRUCTION	LANYARD ATTACHMENT POINTS
MATERIALS	STEEL
MAX WEIGHT RATING	3 LBS / 1.4 KG
PRODUCT TYPE	TOOL ATTACHMENT
PROTECTION	CORROSION RESISTANT, CUT RESISTANT
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121-2023
TOOL GEOMETRY	CAPTIVE HANDLE
TOOL OR EQUIPMENT TYPE	MOBILE COMPUTER, PLIERS / CUTTING, RADIO / WALKIE TALKIE, SCANNER GUN, WRENCHES

ORDER MULTIPLES

ORDER IN MULTIPLES OF:

1

ITEMS

DESIGNED FOR PREVENTING DROPPED TOOLS

CREATE RETROFIT ATTACHMENT POINT FOR TETHERING HAND TOOLS



TETHERING SYSTEM



TOOL COMPATABILITY

HAND TOOLS WITH SMALL CAPTIVE HOLES



EASY INSTALLATION

UNSCREW, THREAD THROUGH CAPTIVE EYE AND SCREW TOGETHER TO CLOSE



RETROFIT ATTACHMENT POINT FOR TETHERING

AFFIX TO HAND TOOLS




COMPLETE YOUR TETHERING SYSTEM

WITH ERGODYNE SQUIDS® LANYARD COMPATIBILITY OPTIONS



*ACCESSORIES NOT INCLUDED



ITEM

19713

COLOR

BLACK

TYPE

6-PACK

For more information and full size images, visit <https://www.ergodyne.com/squids-3708-wire-tool-attachment-screw-gate-tool-tail>



A KLEIN TOOLS COMPANY
WWW.ERGODYNE.COM



Squids 3740 Hand Tool Attachment Trap - Slips

FEATURES

- MEETS THE ANSI/ISEA 121-2018 STANDARD - Third party certified to an 1lb // 0.45kg maximum working capacity
- RETROFIT TOOL ATTACHMENT POINT - Designed to install onto small hand tools to create a tool attachment point for tethering
- ONE-PIECE DESIGN - Easily slides onto small hand tools without requiring additional tools to install or complicated wrapping or shrinking to apply
- NON-CONDUCTIVE - For safety when working around electrical environments

SPECIFICATIONS

CONSTRUCTION	SWIVELING DESIGN, LANYARD ATTACHMENT POINTS
MATERIALS	PLASTIC
MAX WEIGHT RATING	UP TO 1 LB / 0.5 KG
PRODUCT FEATURES	NON-MARRING
PRODUCT TYPE	TOOL ATTACHMENT
PROTECTION	NON-CONDUCTIVE
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121-2018
TOOL GEOMETRY	NON-CAPTIVE
TOOL OR EQUIPMENT TYPE	DRIVERS / HEX KEYS

ORDER MULTIPLES

ORDER IN MULTIPLES OF:

1

ITEMS

ITEM #	COLOR	SIZE	TYPE
19740	BLACK AND ORANGE	S	4-PACK

DESIGNED FOR PREVENTING DROPPED TOOLS

CREATE RETROFIT ATTACHMENT POINT FOR TETHERING HAND TOOLS



RETROFIT ATTACHMENT POINT FOR TETHERING

AFFIX TO HAND TOOLS



EASY INSTALLATION

SLIDE ONTO SMALL HAND TOOLS



TOOL COMPATIBILITY



SWIVELING ATTACHMENT POINT

PREVENTS TANGLES & BINDS WHEN USED WITH A TOOL LANYARD



COMPLETE YOUR TETHERING SYSTEM

WITH ERGODYNE SQUIDS® LANYARD COMPATIBILITY OPTIONS



ITEM #	COLOR	SIZE	TYPE
19741	BLACK AND ORANGE	M	4-PACK
19742	BLACK AND ORANGE	L	4-PACK
19743	BLACK AND ORANGE	XL	4-PACK
19744	BLACK AND ORANGE	VARIETY	4-PACK

For more information and full size images, visit <https://www.ergodyne.com/squids-3740-hand-tool-attachment-trap-slips-4-pack>



A KLEIN TOOLS COMPANY
WWW.ERGODYNE.COM



Squids 3755 Self-Adhering Tool Tethering Tape

FEATURES

- MEETS THE ANSI/ISEA 121-2018 STANDARD - Third party certified to a 15lbs // 6.8kg maximum working capacity (depending on length, tool, tail and lanyard used)
- TOOL TETHER ATTACHMENT - Designed for use with Squids Tool Tails™ for safe tool tethering
- SELF-ADHERING - Requires no additional adhesives, tools or heat source for application
- DURABLE & HIGH STRENGTH - Fiberglass reinforced construction

SPECIFICATIONS

MATERIALS	SILICONE
MAX WEIGHT RATING	15 LBS / 6.8 KG
PRODUCT FEATURES	NON-MARRING
PRODUCT TYPE	TOOL ATTACHMENT
PROTECTION	NON-CONDUCTIVE
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121-2018
TOOL GEOMETRY	CAPTIVE HANDLE, CAPTIVE WAIST, NON-CAPTIVE
TOOL OR EQUIPMENT TYPE	DRIVERS / HEX KEYS, HAMMERS / STRIKING, PLIERS / CUTTING, POWER TOOLS, CONNECTING BARS, WRENCHES

ORDER MULTIPLES

ORDER IN MULTIPLES OF:

1

ITEMS

ITEM #	COLOR	SIZE	TYPE
19755	GRAY	12FT (3.7M)	SINGLE
19756	ORANGE	12FT (3.7M)	SINGLE



ITEM #	COLOR	SIZE	TYPE
19757	GRAY	12FT (3.7M)	10-PACK
19758	ORANGE	12FT (3.7M)	10-PACK

For more information and full size images, visit <https://www.ergodyne.com/squids-3755-self-adhering-tool-tethering-tape>



A KLEIN TOOLS COMPANY
WWW.ERGODYNE.COM



Squids 3760 Water-Resistant Phone Pouch with Lanyard Attachment Point

FEATURES

- MEETS ANSI/ISEA 121-2018 - Prevents dropped tools, third-party certified to a 1lb // 0.45kg maximum capacity
- PROTECTS CELL PHONE - Water-resistant clear pouch and heavy-duty zipper securely holds and protects cell phone from rain, snow, dirt, dust and sand
- PRACTICAL DESIGN - Clear touchscreen material allows for full screen and camera functionality
- EASY CONNECTION - Steel grommet/ring can be used to easily connect a tool lanyard

SPECIFICATIONS

CLOSURE	ZIPPER
CONSTRUCTION	LANYARD ATTACHMENT POINTS, LANYARD GROMMET HOLES
MATERIALS	TARPAULIN, VINYL
MAX WEIGHT RATING	UP TO 1 LB / 0.5 KG
PRODUCT FEATURES	NON-MARRING, TOUCH SCREEN CAPABLE
PRODUCT TYPE	TOOL ATTACHMENT
PROTECTION	DUST RESISTANT, NON-CONDUCTIVE
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121-2018
TOOL GEOMETRY	NON-CAPTIVE

ORDER MULTIPLES

ORDER IN MULTIPLES OF:

1

ITEMS

ITEM #	COLOR	SIZE
19763	CLEAR	PLUS



For more information and full size images, visit <https://www.ergodyne.com/squids-3760-water-resistant-phone-pouch-lanyard-attachment-point>



A KLEIN TOOLS COMPANY
WWW.ERGODYNE.COM



Squids 3772 Radio Holster Trap

FEATURES

- TESTED – Meets ANSI/ISEA 121-2018 standard
- DURABLE & SECURE – Rugged polyester with heavy-duty elastic hook & loop straps protect expensive radios
- TETHER RING – Zinc-plated cast alloy D-Ring on back for tethering to tool lanyards
- EASY INSTALLATION – Elastic hook & loop straps secure radio inside trap

SPECIFICATIONS

CLOSURE	HOOK AND LOOP
CONSTRUCTION	LANYARD ATTACHMENT POINTS
DEVICE TYPE	RADIO / WALKIE TALKIE
MATERIALS	ELASTIC, POLYESTER
MAX WEIGHT RATING	2 LBS / 0.9 KG
PRODUCT TYPE	TOOL ATTACHMENT
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121-2018
TOOL GEOMETRY	NON-CAPTIVE

ORDER MULTIPLES


ORDER IN MULTIPLES OF: 1

ITEMS

ITEM #	COLOR	SIZE
19773	BLACK	L

PREVENTS RADIO DROPS

KEEPS RADIOS SECURE AND ACCESSIBLE



DESIGNED FOR PREVENTING DROPPED TOOLS

CREATE RETROFIT ATTACHMENT POINT FOR TETHERING HAND TOOLS



DURABLE

RUGGED POLYESTER WITH HEAVY-DUTY ELASTIC HOOK & LOOP STRAPS



EASY TETHERING

D-RING ON BACK FOR ATTACHING TO LANYARDS



SIMPLE INSTALLATION

ELASTIC STRAP WITH HOOK & LOOP SECURES RADIO INSIDE TRAP



For more information and full size images, visit <https://www.ergodyne.com/squids-3772-radio-holster-trap>



A KLEIN TOOLS COMPANY
WWW.ERGODYNE.COM



Squids 3775 Can / Bottle Holder + Trap

FEATURES

- TESTED – Meets ANSI/ISEA 121-2018 standard
- STAINLESS STEEL BELT CLIP – Convenient corrosion-resistant belt clip attaches to tool belts and fall protection harnesses
- DURABLE D-RING – Zinc-plated D-ring to attach a tool lanyard
- ABRASION-RESISTANT – Neoprene primary material is abrasion-resistant and stretches to fit a variety of bottles/cans

SPECIFICATIONS

ATTACHMENT TYPE	BELT CLIP
CLOSURE	BUCKLE
CONSTRUCTION	LANYARD ATTACHMENT POINTS
MATERIALS	NEOPRENE
MAX WEIGHT RATING	2 LBS / 0.9 KG
PRODUCT TYPE	TOOL ATTACHMENT
RISK/INJURY	FALLING OBJECTS, DEHYDRATION, HEAT STRESS
STANDARDS/COMPLIANCE	ANSI/ISEA 121-2018
TOOL GEOMETRY	NON-CAPTIVE
TOOL OR EQUIPMENT TYPE	WATER BOTTLE / SPRAY CAN

ORDER MULTIPLES

ORDER IN MULTIPLES OF: 1

ITEMS

ITEM #	COLOR	SIZE
19775	BLACK	S
19776	BLACK	L

TETHER BOTTLES AND CANISTERS AT HEIGHTS

PREVENT DROPPED OBJECTS



TESTED & APPROVED

MEETS ANSI/ISEA 121-2018 STANDARD
FOR DROPPED OBJECT PREVENTION



EASY ATTACHMENT

D-RING AND BELT CLIP ATTACH TO
LANYARDS, BELTS AND HARNESSES



STRONG TETHER RING

ZINC-PLATED CAST ALLOY D-RING
FOR ATTACHING TOOL LANYARDS



SIMPLE INSTALLATION

ABRASION-RESISTANT NEOPRENE
WITH BUCKLE CLOSURE



ADJUSTABLE & COMPATIBLE

WITH STANDARD WATER BOTTLES, SPRAY
PAINT CANS, WD40 CANISTERS AND MORE



For more information and full size images, visit <https://www.ergodyne.com/squids-3775-can-bottle-holder-trap.html>



A KLEIN TOOLS COMPANY
WWW.ERGODYNE.COM



Squids 3785 Split Ring Tool Attachment (10-pack)

FEATURES

- MEETS THE ANSI/ISEA 121-2018 STANDARD - Third party certified to an 2lbs // 0.9kg maximum working capacity
- RETROFIT TOOL ATTACHMENT POINT - Designed to create larger attachment points on tools with small captive holes for tool tethering
- DURABLE - Plated steel construction
- SECURE INSTALLATION - Use ring pliers to open and thread wire through a small hole until the ring is fully connected

SPECIFICATIONS

MATERIALS	STEEL
MAX WEIGHT RATING	2 LBS / 0.9 KG
PRODUCT TYPE	TOOL ATTACHMENT
RISK/INJURY	FALLING OBJECTS
STANDARDS/COMPLIANCE	ANSI/ISEA 121-2018
TOOL GEOMETRY	CAPTIVE HANDLE
TOOL OR EQUIPMENT TYPE	WRENCHES

ORDER MULTIPLES

ORDER IN MULTIPLES OF: 1

ITEMS

ITEM #	SIZE
19785	1 IN (2.5 CM)
19786	1.5 IN (3.8 CM)

DESIGNED FOR PREVENTING DROPPED TOOLS

CREATE RETROFIT ATTACHMENT POINT FOR TETHERING HAND TOOLS



RETROFIT ATTACHMENT POINT FOR TETHERING

AFFIX TO HAND TOOLS



SECURE INSTALLATION



TOOL COMPATIBILITY

HAND TOOLS WITH SMALL CAPTIVE HOLES



COMPLETE YOUR TETHERING SYSTEM

WITH ERGODYNE SQUIDS® LANYARD COMPATIBILITY OPTIONS



SIZE	A	B	C	D
SMALL	1IN (2.54CM)	1.28IN (3.25CM)	0.1IN (0.25CM)	0.8IN (20.3CM)
LARGE	1.5IN (3.81CM)	0.8IN (2.03CM)	0.12IN (0.30CM)	0.23IN (5.84CM)

For more information and full size images, visit <https://www.ergodyne.com/squids-3785-split-ring-tool-attachment-10-pack>