



See online technical sheet

/ ARCVES40

Arc Flash long jacket, APC 2, ATPV 40 cal/cm², ELIM 36 cal/cm²



/ Standards

- EN ISO 11612:2015 (Flamme and heat) : A1, A2, B1, C1, F1
- EN1149 (Electrostatic property) : EN1149-5
- IEC 61482-2
- EN 61482:2 : APC 2 (7Ka)
- EN 61482-1-1
- ATPV (cal/cm²) : 40
- ELIM (cal/cm²) : 36
- EN ISO 13688
- CE category : Catégorie 3

/ Use

Protection against thermal effects of an electric arc.

For occasional operations; Switching operations to disconnect or open the network, on electrical installations with incident thermal energy up to 40 cal/cm².

/ Advantages

- Loose fit for greater comfort and mobility
- Very good mechanical strength (abrasion and tear resistance)
- Double qualification according to ATPV and ELIM for OPEN ARC
- No metal parts (non-magnetic)
- Metal free
- ATPV protection level visible on garment
- Overlapping garments for optimum protection

/ Technical specifications


- Size : S, M, L, XL, 2XL, 3XL, 4XL
- Main color : Grey
- Collar style : Low blas collar
- Fastening : Zipper fastening, Adhesive tape, Flap
- Cloth composition table : Tissu - 87% cotton 12% nylon 1% antistatic fiber - bom-precision/2-layer, 340 gsm



Elasticated sleeve



/ Accessories

	Reference	Designation
	CRYOVEST	Thermoregulating vest against heat risk and heat stress

/ Measurement table

Size	Measurement type	Value	Measurement unit
S	Chest	90-97	cm
M	Chest	98-105	cm
L	Chest	106-113	cm
XL	Chest	114-121	cm
2XL	Chest	122-129	cm
3XL	Chest	130-137	cm
4XL	Chest	138-145	cm